HMC #18005820



contact@hayesmicrobial.com http://hayesmicrobial.com/

Analysis Report prepared for

S&R Environmental Consulting

5801 Logan St. Suite 200 Denver, CO. 80216 Phone: (303) 297-1645

Job Number: 018013

Job Name: Boots Const. EPA

Date Sampled: 02-22-2018
Date Analyzed: 02-23-2018
Report Date: 02-23-2018

EPA Laboratory ID# VA01419







AIHA EMPAT Lab ID# 188863

Mold License: LAB1021

License: #PH-0198





S&R Environmental Consulting 5801 Logan St. Suite 200 Denver, CO80216

February 23, 2018

Client Job Number: 018013

Client Job Name: Boots Const. EPA

Dear S&R Environmental Consulting,

We would like to thank you for trusting Hayes Microbial for your analytical needs. On February 23, 2018 we received 2 samples by FedEx for the job referenced above. 2 samples were received in good condition.

The results in this analysis pertain only to this job, collected on the stated date and should not be used in the interpretation of any other job. This report may not be duplicated, except in full, without the written consent of Hayes Microbial Consulting, LLC.

This laboratory bears no responsibility for sample collection activities, analytical method limitations, or your use of the test results. Interpretation and use of test results are your responsibility. Any reference to health effects or interpretation of mold levels is strictly the opinion of Hayes Microbial Consulting. In no event, shall Hayes Microbial Consulting or any of its employees be liable for lost profits or any special, incidental or consequential damages arising out of your use of the test results.

Stephen N. Abyus
Steve Hayes, BSMT(ASCP)

Laboratory Director

Hayes Microbial Consulting, LLC



S&R Environmental Consulting 5801 Logan St., Suite 200 Denver, CO80216 Phone: (303) 297-1645 Particle Analysis
SOP #HMC114

HMC #18005820

Job Number: 018013 Collected by: Tom Email: tom@sre	nvironmenta	alconsulting.co	om	Job Na	me: Boots	Const. EP	4	Date Re	ollected: eceived: eported:	02/22/2018 02/23/2018 02/23/2018
HMC ID Number		18005820 - 1			18005820 - 2					
Sample ID#	2283720			2283697						
Sample Name	Fourth Floor Southwest Corner		First Floor Lobby							
Sample Volume	74 liters		74 liters							
Reporting Limit	13 Particles / m3		13 Particles / m3							
Particle	Raw Count	Count / m3	% of Total	Raw Count	Count / m3	% of Total				
Dander	20	268	39.2%	18	241	50.2%				
Cellulose Fibers	2	27	3.9%	1	13	2.7%				
Synthetic Fibers				2	27	5.6%				
Fiberglass Fibers										
Wood Fibers										
Animal Hair										
Plant Hair										
Human Hair										
Dust Mites, Parts										
Carpet Beetle larvae parts										
Insect Parts										
Insect Frass (Feces)										
Feather Barbule										
Pollen										
Gypsum										
Opaque Particles				1	13	2.7%				
Talc	25	335	49.0%	11	147	30.6%				
Silicates	2	27	3.9%	1	13	2.7%				
Mineral Salts										
Ash-like Soot				1	13	2.7%				
Char-like Soot	2	27	3.9%	1	13	2.7%				
Aciniform-like Soot										
								$-\parallel$		
Total	51	684		36	480					

Signature:	Theph-Enders	Date:	02/23/2018	Reviewed by:	Stephen N. Hayes	Date:	02/23/2018	
------------	--------------	-------	------------	--------------	------------------	-------	------------	--



S&R Environmental Consulting 5801 Logan St., Suite 200 Denver, CO80216 Phone: (303) 297-1645

HMC #18005820

Particle Analysis

Hayes Microbial Consulting Particle Analysis test is based on the initial screening procedures from ASTM #D6602. HMC only does light, polarized light, and phase contrast microscopy. No SEM or X-ray defraction is done. Below are some guidelines to help you figure out the totals for the dander, fibers, pollen, and other particle counts by light microscopy.

*Estimated Normal Ranges are based on experience only. There are no standard ranges for this type of testing.

Particle		* Estimated N	* Estimated Normal Range			
		Air	Surface			
Dander	Home (Carpeted Areas)	1,000-6,000 / M3	10,000-16,000 / cm2			
	Home (Hard Surface Areas)	500-5,000 / M3	5,000-16,000 / cm2			
	Office or Classroom (Carpeted)	4,000-12,000 / M3	14,000-24,000 / cm2			
	Office or Classroom (Hard Surface Areas)	3,000-10,000 / M3	12,000-20,000 / cm2			
Cellulose Fibers		0-250 / M3	0-1,600 / cm2			
Synthetic Fibers		0-250 / M3	0-1,600 / cm2			
Fiberglass Fibers		0-60 / M3	0-400 / cm2			
Gypsum Fibers		0-400 / M3	0-1,800 / cm2			
Talc		0-250 / M3	0-2,000 / cm2			
Dust Mites (parts)		0-30 / M3	0-200 / cm2			
Insect Parts		0-30 / M3	0-200 / cm2			
Animal Hair		0-30 / M3	0-200 / cm2			
Wood Fibers		0-60 / M3	0-200 / cm2			
Plant Hairs		0-60 / M3	0-200 / cm2			
Human Hair		0-60 / M3	0-200 / cm2			
Carpet Beetle Larvae		0-40 / M3	0-200 / cm2			
Insect Frass		0-40 / M3	0-400 / cm2			
Feather Barbules		0-40 / M3	0-200 / cm2			
Opaque Particles		0-100 / M3	0-600 / cm2			
Starch		0-40 / M3	0-200 / cm2			
Ash-like Soot		0-60 / M3	0-400 / cm2			
Char-like Soot		0-60 / M3	0-200 / cm2			
Aciniform-like Soot		0-100 / M3	0-800 / cm2			
Silicates	(Varies greatly depending on area)	0-500 / M3	0-2,800 / cm2			
Pollen	Varies with outdoor pollen levels and whether there are live indoor plants.					
		M3 = per cubic meter	cm2 = per sq. centimete			



S&R Environmental Consulting 5801 Logan St., Suite 200 Denver, CO80216 Phone: (303) 297-1645 **Particle Descriptions**

HMC #18005820

Ash-like Soot

Description: Ash-like soot is formed from the combustion of wood products.

Sources: Sources are wood fireplaces, house fires, forest fires, and burning of leaves and other yard debris.

Cellulose Fibers

Description: Cellulose fibers are natural fibers from plant material.

Sources: Sources of cellulose fibers are paper, cardboard, insulation material.

Char-like Soot

Description: Char-like soot comes from the incomplete combustion of wood products.

Sources: Sources are wood fireplaces, house fires, forest fires, and burning of leaves and other yard debris.

Dander

Description: Dander is dead skin cells. The average person sheds about 600,000 skin cells per day.

Sources: Sources are people and animals.

Opaque Particles

Description: Particles that are not characteristic of other opaque particles that can be identified such as soot. If significant amounts are present, further

analysis by SEM and Xray Diffraction are suggested to help determine the makeup and possible sources.

Sources: Unknown until characterization is determined.

Silicates

Description: Silicates comprise the majority of the Earth's crust. Sand, Portland cement, and thousands of minerals are examples of silicates.

Sources: Sources are sand and cement.

Synthetic Fibers

Description: Synthetic fibers are man-made fibers such as nylon, polyester, and polyolefin.

Sources: Sources of synthetic fibers are carpet, upholstery and clothing.

Talc

Description: Talc is a mineral composed of hydrated magnesium silicate

Sources: Sources of talc are powder, personal hygiene and cosmetics products, and in powdered laundry detergents and carpet cleaners.